

DISPOSAL STANDARDS FOR NEW YORK STATE  
REGULATED HAZARDOUS PCB WASTES

250077

GENERATOR NAME: USEPA Region II - Bossert Manufacturing

MANIFEST # NYG1163133 CWM PROFILE # CW4538

UNIQUE DRUM# 03001 OUT OF SERVICE DATE: 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☐ PCBs 50-500 ppm ☒ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376.  
Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: 

TITLE: On-Scene Coordinator

DATE: 5/30/03

Updated 03/19/98

# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert ManufacturingMANIFEST # NYD1163142 CWM PROFILE # CW4538UNIQUE DRUM# 03002 OUT OF SERVICE DATE: 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☐ PCBs 50-500 ppm ☒ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376. Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: TITLE: On-Scene CoordinatorDATE: 5/30/03

# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert ManufacturingMANIFEST # NYG1163151 CWM PROFILE # CW4538UNIQUE DRUM# 03003 ~~OUT OF SERVICE DATE:~~ 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☐ PCBs 50-500 ppm ☒ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376.  
Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: TITLE: On-Scene CoordinatorDATE: 5/30/03

# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert ManufacturingMANIFEST # NYG1163169CWM PROFILE # CW4538UNIQUE DRUM# 03004OUT OF SERVICE DATE: 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☐ PCBs 50-500 ppm ☒ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376.  
Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: Jack HaTITLE: On-Scene CoordinatorDATE: 5/30/03

DISPOSAL STANDARDS FOR NEW YORK STATE  
REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert Manufacturing

MANIFEST # NYG1163178

CWM PROFILE # CW4538

UNIQUE DRUM# 03005

OUT OF SERVICE DATE: 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☐ PCBs 50-500 ppm ☒ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376.  
Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: 

TITLE: On-Scene Coordinator

DATE: 5/30/03

Updated 03/19/98

# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert ManufacturingMANIFEST # NYG1163187 CWM PROFILE # CW4538UNIQUE DRUM# 03006 OUT OF SERVICE DATE: 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☐ PCBs 50-500 ppm ☒ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376.  
Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: TITLE: On-Scene Coordinator DATE: 5/30/03

Updated 03/19/98

MANIFEST # NYG1163196CWM PROFILE # CW4539UNIQUE DRUM# 03007~~OUT OF SERVICE~~ DATE 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☒ PCBs 50-500 ppm ☐ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376. Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007


**Certification - Waste Meets Treatment Standards**

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

**Notification - Waste Does Not Meet Treatment Standards**

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

**GENERATOR'S SIGNATURE**TITLE: On-Scene CoordinatorDATE: 5/30/03

Updated 03/19/98

DISPOSAL STANDARDS FOR NEW YORK STATE  
REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossett Manufacturing

MANIFEST # NYG1163205 CWM PROFILE # CW4539

UNIQUE DRUM# 03008 OUT OF SERVICE DATE: 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☒ PCBs 50-500 ppm ☐ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376. Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: Jack [Signature]

TITLE: On-Scene Coordinator

DATE: 5/30/03

Updated 05/19/98



# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert ManufacturingMANIFEST # NYG1163214 CWM PROFILE # CW4539UNIQUE DRUM# 03009 ~~OUT OF SERVICE DATE~~ 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☒ PCBs 50-500 ppm ☐ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376. Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: Jack HaTITLE: On-Scene CoordinatorDATE: 5/30/03

# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert ManufacturingMANIFEST # NYG1163223 CWM PROFILE # CW4539UNIQUE DRUM# 03010 ~~OUT OF SERVICE DATE~~ 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☒ PCBs 50-500 ppm ☒ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376. Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: Jack HaTITLE: On-Scene CoordinatorDATE: 5/30/03

Updated 03/19/98

# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert ManufacturingMANIFEST # NYG1163232 CWM PROFILE # CW4539UNIQUE DRUM# 03011 ~~OUT OF SERVICE DATE~~ 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☒ PCBs 50-500 ppm ☒ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376.  
Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: Jack HanTITLE: On-Scene CoordinatorDATE: 5/30/03

Updated 05/19/98

# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert ManufacturingMANIFEST # NYG1163241 CWM PROFILE # CW4539UNIQUE DRUM# 03012 ~~OUT OF SERVICE DATE:~~ 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☒ PCBs 50-500 ppm ☐ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376.  
Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: Jack HaTITLE: On-Scene CoordinatorDATE: 5/30/03

DISPOSAL STANDARDS FOR NEW YORK STATE  
REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert Manufacturing

MANIFEST # NYG1163259 CWM PROFILE # CW4539

UNIQUE DRUM# 03013 ~~OUT OF SERVICE DATE~~ 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☒ PCBs 50-500 ppm ☐ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376.  
Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: Jack Han

TITLE: On-Scene Coordinator

DATE: 5/30/03

Updated 05/19/98

# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - bossert ManufacturingMANIFEST # NYG1163268 CWM PROFILE # CW4539UNIQUE DRUM# 03014 ~~OUT OF SERVICE DATE~~ 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☒ PCBs 50-500 ppm ☐ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376.  
Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: TITLE: On-Scene CoordinatorDATE: 5/30/03

Updated 05/19/98

# DISPOSAL STANDARDS FOR NEW YORK STATE REGULATED HAZARDOUS PCB WASTES

GENERATOR NAME: USEPA Region II - Bossert ManufacturingMANIFEST # NYG1163277CWM PROFILE # CW4539UNIQUE DRUM# 03015OUT OF SERVICE DATE: 5/9/03

TYPE OF PCB WASTE: ☒ soil ☒ debris ☐ oil ☐ aqueous ☐ large capacitors  
(check all that apply) ☐ small capacitors ☐ light ballasts ☐ transformer  
☐ PCBs <50 ppm ☒ PCBs 50-500 ppm ☐ PCBs > 500

The following New York State regulated and land restricted wastes are subject to 6 NYCRR Part 376. Refer to 6 NYCRR 376.4(f) for New York land disposal requirements. Check all that apply:

☐ B001 ☐ B002 ☐ B003 ☐ B004 ☐ B005 ☐ B006 ☒ B007

## Certification - Waste Meets Treatment Standards

☒ I am the generator of the waste as identified above, that is restricted under 6 NYCRR Part 376. I have determined that this waste meets all applicable treatment standards set forth in 6 NYCRR 376 and, therefore, it can be land disposed without further treatment. Waste does not include solidified B002 material (liquid with PCBs 50-500 ppm).

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that waste complies with the treatment standards specified in Part 376, Section 376.4 and all applicable prohibitions set forth in subdivision 376.3(b) of Part 376 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification including the possibility of a fine or imprisonment.

## Notification - Waste Does Not Meet Treatment Standards

☐ I am the generator of a waste restricted under 6 NYCRR Part 376 as identified above. I notify that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this notification that the waste does not comply with the treatment standards specified in 6 NYCRR Part 376.4(f). This waste must be treated to the applicable standard set forth in 6 NYCRR 376.4(f) prior to land disposal.

GENERATOR'S SIGNATURE: TITLE: On-Scene CoordinatorDATE: 5/30/03